REFERENCES

[1] Arya R. Behzad, Zhong Ming Shi, Seema Butala Anand, Li Lin,Keith A. Carter, Michael S. Kappes, Tsung-Hsien (Eric) Lin,Thinh Nguyen,Dan Yuan, Stephen Wu, Y. C. Wong, Victor Fong, and Ahmadreza Rofougaran, "A 5-GHz Direct-Conversion CMOS Transceiver Utilizing Automatic Frequency Control for the IEEE 802.11a Wireless LAN Standard", IEEE Journal of Solid State Circuits ,Vol. 38 No. 12 PP.2209-2220, December 2003.

[2] Bonghyuk Park, Kyung Ai Lee, Songcheol Hong, and Sangsung Choi "A 3.1 to 5 GHz CMOS Transceiver for DS-UWB Systems".

[3] Fadhel M. Ghannouchi, Safar Hatami,Pouya Aflaki,Mohamed Helaoui and Renato Negra, "Accurate Power Efficiency Estimation of GHz Wireless Delta-Sigma Transmitters for Different Classes of Switching Mode Power Amplifiers," IEEE Transactions on Microwave Theory and Techniques, Vol. 58, No. 11, PP. 2812 -2819, November 2010.

[4] Hiroaki Ishihara, Masahiro Hosoya, Shoji Otaka, and Osamu Watanabe, "A 10-MHz Signal Bandwidth Cartesian Loop Transmitter Capable of Off-Chip PA Linearization," IEEE Journal of Solid –State Circuits, Vol. 45, No. 12, PP. 2785-2793, December 2010.

[5] H. Aniktar1, H. Sj¨oland2, J.H. Mikkelsen1, and T. Larsen1, "A Class-AB 1.65GHz-2GHz Broadband CMOS Medium Power Amplifier," 1RISC Division, Center for TeleInFrastructure, Aalborg University, Niels Jernes Vej 12, DK–9220 Aalborg East, Denmark, Department of Electroscience, Lund University, Sweden.

[6] Jingjing Xia, Choi Look Law, Yuan Zhou, and Kee Siang Koh, " 3–5 GHz UWB Impulse Radio Transmitter and Receiver MMIC Optimized for Long Range Precision Wireless Sensor Networks,"IEEE Transactions on Microwave Theory and Techniques, Vol. 58, No. 12, PP 4040-4052, December 2010.

[7] John Notor, Anthony Caviglia, Gary Levy "CMOS RFIC Architectures For IEEE 802.15.4 Networks" Cadence Design Systems, Inc. 6210 Old Dobbin Lane, Suite 100 Columbia, Maryland 21045, USA ©2003 IEEE.

[8] Johan Wernehag and Henrik Sj¨oland, " An 8-GHz Beam forming Transmitter IC in 130-nm CMOS", Department of Electro and information technology, Lund University, Box 118, 221 00 Lund Sweden.

[9] Jason Waterman, "Design for Low Power Opportunistic Wireless Computation"

[10] Kukjin Chun, Joonyeop Lee, Ji-Hyuk Kim, Hyeon Cheol Kim, Kwang-Jun Yoon, Young-Ill Kim, and In-Sang Song, “A WLAN/WMAN Dual Mode Transceiver System for Indoor/Outdoor Application”, Samsung Advanced Institute of Technology, Mt.14-1, Nongseo-Ri, Giheung-Eup, Yongin-si, Kyeonggi-Do, 449-712, Korea, PP. 156-159, IEEE 2007

[11] “Low Power Receiver Architecture and Algorithms for Wireless Personal Area Networks (WPAN)”, TI India Technical University IEEE Circuits and Systems Society, Bangalore Chapter, and VLSI Society of India

[12] M. Isaksson and D. Ennow “A Kautz-Volterra Behavioral Model for RF Power Amplifiers”, PP.485-488, IEEE 2006.

[13] Myung J. Lee, Rui Zhang, Jianliang Zheng, Gahng-Seop Ahn, Chunhui Zhu, Tae Rim Park, Sung Rae Cho, Chang Sub Shin, and Jun Sun Ryu, “ IEEE 802.15.5 WPAN Mesh Standard-Low Rate Part: Meshing the Wireless Sensor Networks”, IEEE Journal on Selected Areas in Communications , Vol. 28, No 7, PP. 973-983, September 2010.

[14] Masoud Zargari, “A Single-Chip CMOS Bluetooth v2.1 Radio SoC”, IEEE Journal of Solid State Circuits , Vol. 43, No. 12, PP. 2896-2905, December 2008.

[15] N. A. Shairi 1, T. Abd. Rahman 1, M. Z. A. Abd. Aziz 2, “RF Transmitter System Design for Wireless Local Area Network Bridge at 5725 to 5825 MHz” Proceedings of the International Conference on Computer and Communication Engineering 2008 May 13-15, 2008 Kuala Lumpur, Malaysia 978-1-4244-1692-9/08/$25.00, PP- 109-113. IEEE 2008.

[16] Ofer Friedman, Yossi Tsfati, Ran Katz, Nir Tal, Oren Eliezer “Coexistence Performance Enhancement Techniques for DRP Based WLAN/WPAN and Cellular Radios Collocated in a Mobile Device”, Wireless Terminals Business Unit, Texas Instruments Inc. PP.82-85,2006 IEEE

[17] Pengfei Zhang , Lawrence Der, Dawei Guo,Isaac Sever, Taoufik Bourdi, Christopher Lam, Alireza Zolfaghari, Jess Chen, Douglas Gambetta, Baohong Cheng, Sujatha Gowder, Siegfried Hart, Lam Huynh, Thai Nguyen, and Behzad Razavi, Fellow, “A Single-Chip Dual-Band Direct-Conversion IEEE” ,802.11a/b/g WLAN Transceiver in 180-nm CMOS IEEE Journal of Solid State Circuits , Vol. 40, No. 9, September 2005.

[18] Pilsoon Choi, Hyung Chul Park, Sohyeong Kim, Sungchung Park, Ilku Nam, Tae Wook Kim, Seokjong Park, Sangho Shin, Myeung Su Kim, Kyucheol Kang, Yeonwoo Ku, Hyokjae Choi, Sook Min Park, and Kwyro Lee, “ Experimental Coin-Sized Radio for Extremely Low-

Power WPAN (IEEE 802.15.4) Application at 2.4 GHz “, IEEE Journal of Solid State Circuits Vol. 38, No. 12,PP-2258-2269,December 2003.

[19] Robert B. Staszewski, Roman Staszewski, John L. Wallberg, Tom Jung, Chih-Ming Hung, Jinseok Koh, Dirk Leipold, Ken Maggio, and Poras T. Balsara, “SoC With an Integrated DSP and a 2.4-GHz RF Transmitter”, Transactions on Very Large Scale Integration (VLSI) Systems , Vol. 13, No. 11, PP-1253- 1266,November 2005.

[20] Robert F. Wiser, Masoud Zargari, David K. Su, Bruce A. Wooley, “A 5-GHz Wireless LAN Transmitter with Integrated Tunable High-Q RF Filter”, IEEE Journal of Solid State Circuits , Vol. 44, No. 8, PP. 2114 -2125,August 2009.

[21] Rami Ahola, Adem Aktas, James Wilson, Kishore Rama Rao, Fredrik Jonsson, Isto Hyyryläinen, Anders Brolin, Timo Hakala, Aki Friman, Tuula Mäkiniemi, Jenny Hanze, Martin Sandén, DanielWallner, Yuxin Guo, Timo Lagerstam, , Laurent Noguer, Timo Knuuttila, Peter Olofsson, and Mohammed Ismail. “A Single-Chip CMOS Transceiver for 802.11a/b/g Wireless LANs ", IEEE Journal of Solid State Circuits ,Vol. 39, No. 12,PP- 2250 -2258, December 2004 .

[22] Sohyeong Kim, Ilku Nam, Taewook Kim, Kyucheol Kang, and Kwyro Lee, “A Single-Chip 2.4GHz Low-Power CMOS Receiver and Transmitter for WPAN Applications”.

[23]S. V. Kishore, Glenn Chang, and Chris Hull “A SOI-Bi-CMOS RF-Transmitter for Personal Digital Cellular Communication (PDC)”,Silicon Wave Inc., 6256 Greenwich Dr., Suite 300, San Diego; CA 92122-5941, USA ,Symposium on VLSl Circuits Digest of Technical Papers , PP. 60-65,2000 IEEE.

[24] Seok-Bong Hyun, Geum-Young Tak, Sun-Hee Kim,Byung-Jo Kim, Jinho Ko, and Seong-Su Park “A Dual-Mode 2.4-GHz CMOS Transceiver for High-Rate Bluetooth Systems”.

[25] Theodore S Rappaport “Wireless Communications” Principles and Practice Pearson Education India.

[26] T. L. Singal “Wireless Communications”, Tata McGraw-Hill Education.

[27] Yao-Hong Liu, Cheng-Lung Li, and Tsung-Hsien Lin, “A 200-pJ/b MUX-Based RF Transmitter for Implantable Multichannel Neural Recording”, IEEE Transactions on Microwave Theory and Techniques, Vol. 57, No. 10,PP- 2533 -2541, October 2009.

[28] Yahia Tachwali, Hazem Refai “Implementation of a BPSK Transceiver on Hybrid Software Defined Radio Platforms”, University of Oklahoma, Department of Electrical & Computer, Engineering

[29] Wooley Masoud Zargari, David K. Su and Bruce A 5-GHz Wireless LAN Transmitter with Integrated Tunable High-Q RF Filter" IEEE Journal of Solid State Circuits, Vol. 44, No. 8, PP. 2114 – 2125, August 2009.